



Arm Loader

Technical Specifications





Arm Loader

Technical Specifications

General Information

The BGS-105 A is built for high performance and durability, featuring a 4.3-meter lift height, 5-ton capacity, and 4x4 drive. Engineered for strength and precision, it's the ideal solution for demanding tasks across construction, agriculture, and more.

1- Engine

Brand & Model	Perkins 1104D-44T
Emissions	UN ECE R96 Stage IIIA, China Nonroad Stage III
Maximum Power	99.9 HP (74.5 kW)
Maximum Torque	392 Nm @ 1400 rpm
Number of Cylinders	4 inline
Cycle	4 stroke
Aspiration	Turbocharged
Combustion System	Direct injection
Cooling System	Liquid BGS-105 A



Arm Loader

Technical Specifications

2-Chassis

Chassis	Subframe reinforced
Туре	The front axle and rear axle are fixed to the fram
Tires	16.0/70-20

3-Cabin

Reverse View Camera	
Optimized Viewing Angle	
Widened Interior Cabin	
High Capacity Air Conditioning	
High Resolution Dashboard Colored	M. A. S. T. A. M.
Air Suspension Seat	
Carpet	



Arm Loader

Technical Specifications

4-Steering System

111	
Туре	Hydraulic type steering and front wheel controlled by 2 cylinders
Automatic Gearbox	4 Stage (4 Fwd / 4 Rvs)
Steering Modes	4 WD
Maximum Speed	30 km/h
Minimum Speed	8 km/h
Climbability	27°
Parking Brake	Pneumatic Diaphragm Brake System

5- Hydraulic System

Туре	Fixed Displacement Gear Pump
Max. Output	99 L/min
Pilot Pump	43 L/min (Gear Wheel)



Arm Loader

Technical Specifications

6- Filling Capacity

Hydraulic System	120 L
Petrol Tank	85 L
Hydraulic Tank	60 L
Engine Oil	8 L
Engine Cooling	6 L

7-Electric System

Voltage	12 V
Batteries	12 V/180 Ah
Alternator	12 V
Starter	12 V





Arm Loader

Technical Specifications

8- Compatible Attachments

- Standart Bucket
- Opening Bucket Large
- Grain Bucket
- Beet Bucket
- Grapple Bucket
- Silage Cutting Fork
- Log Grapple Fork
- Log Grapple 360°
- Paper Roll Clamp

- Roll Bale Handling
- Bale Skewer 3 Fork
- Bale Skewer 7 Fork
- Pallet Fork
- Recycling Handling
- Platform Basket Small
- Platform Basket Large
- Leveling Shovel







- Horozluhan Mh. Albayrak Cd. No:1 Selçuklu / Konya / TÜRKİYE
- www.bagsanglobal.com
- info@bagsanglobal.com
- +90 544 409 98 11

